

## MATERIAL SAFETY DATA SHEET

### 1 CHEMICAL PRODUCT & COMPANY IDENTIFICATION

**Trade Name** IM-T SLOW Thinner  
**Version Number** 1  
**MSDS Number** 004  
**Distributor** Imtran  
 39 Shelley Road  
 Haverhill, MA 01835 USA

**Telephone Numbers - 24 Hour Emergency Assistance**  
 Emergency (800) 424-9300

**Telephone Numbers - General Assistance**  
 Information (978) 372-3443

### 2 COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient Name	CAS Number	Concentration	Exposure Limits / Health Hazards
BUTOXYETHYLACETATE	112-07-2	95 - 100 %	

### 3 HAZARDS IDENTIFICATION

**Signs & Symptoms of Short-Term (Acute) Exposure**

Dizziness, irritation of mucous membranes.

Dry skin, eye irritation, headache, dizziness or nausea.

**Effects of Long-Term (Chronic) Exposure**

Respiratory tract irritation, depression of the central nervous system.

### 4 FIRST AID MEASURES

**Skin**

Wash affected areas with soap and water. Remove contaminated clothing. Consult a physician if irritation persists.

**Eye**

Flush with copious amounts of water for a minimum of 15 minutes. Seek medical attention.

**Inhalation**

Remove to fresh air, restore breathing. Treat symptomatically. Call a physician.

**Ingestion**

Do not induce vomiting. Consult a physician or poison control center immediately. Treat symptomatically.

### 5 FIRE FIGHTING MEASURES



## 10 STABILITY & REACTIVITY

### Stability/Incompatibility

Stable.

Incompatible with: Peroxides and other strong oxidizers.

### Hazardous Reactions/Decomposition Products

Carbon monoxide, carbon dioxide or other compounds may be formed during combustion.

### Hazardous Polymerization

Will not occur.

## 11 TOXICOLOGICAL INFORMATION

## 12 ECOLOGICAL INFORMATION

## 13 DISPOSAL CONSIDERATIONS

### Waste Disposal

Dispose of in accordance with federal, state and local regulations.

## 14 TRANSPORT INFORMATION

## 15 REGULATORY INFORMATION

### NFPA Ratings

Health

Flammability

Reactivity

Special Hazards

### HMIS Ratings

Health 2

Flammability 2

Reactivity 1

Personal Prot. Equip. C

## 16 OTHER INFORMATION

### Disclaimer

The information and recommendations contained herein are believed to be reliable and accurate based on the data available to ITW Imtran. However, we make no warranty, expressed or implied, regarding the accuracy of this data or the results obtained from the use of this product.

**Completed On** 11/18/02

**Completed By** Chris Sobaszek